

20? Sky Star Tent With Full Dye Sub Printed Polyester Top

SKU RIV-311956

JOYFLOW
Product information
2026-09-19



DESCRIPTION

Stand out from the crowd at your next event with this 20 foot Sky Star Canopy Tent with adjustable crank shaft technology. Featuring a 600 Denier polyester top that is fire retardant and water resistant, heavy duty stakes, stake puller and carrying bags. Setup is easy, simply slide the pole underneath the star canopy and turn the crank to adjust the pole height at your own pace. Made from anodized aluminium, this pole is rust-free, light-weight and well constructed to last event after event.

REFERENCE PRICING (USD)

Price code 3C

Quantity	Unit price
1+	\$916.67
5+	\$907.40
10+	\$888.88

Supplier reference prices for comparison only. Confirm availability, decoration, freight and final pricing through an RFQ.

PRODUCT

Product size	20 x 20 x 13 ft
Material	600D Polyester
Available colors	Various
Minimum quantity	1

DECORATION

Production time	5-7 business days after proof approval
Artwork requirements	Use the downloadable template and submit production-ready vector artwork.

BOXING AND SHIPPING

Packaging	bulk
Units per carton	1
Carton dimensions	67.72 x 13.39 x 3.94 in
Carton weight	25 kg / 55.12 lb

SAMPLE OPTIONS

Pre-production sample	No
Blank sample	No

ADDITIONAL SPECIFICATIONS

Product weight	22 kg / 48.5 lb
-----------------------	-----------------

PRODUCT VARIANTS

Variant	Option 1	Option 2	Dimensions / weight
311956-02	Color: Various		20 x 20 x 13 ft · 22 kg / 48.5 lb

DECORATION OPTIONS

Option	Method	Location	Imprint area	Colors	Setup	Run
SUBLIMATION-FULL-WRAP-FULL-WRAP	Sublimation	Full wrap	240 x 156 in		Quote required	Quote required

Generated from the current published catalog record: <https://joyflow-server.tail4fabda.ts.net/products/river-reference-311956-20-sky-star-tent-with-full-dye-sub-printed-polyester-top/>

Specifications, colors, prices and production timing are subject to change. Confirm compliance for each SKU, configuration, decoration, use and destination before quoting.