

FloatMate Neoprene Wrist Keychain

SKU RIV-204515

JOYFLOW

Product information

2026-09-19



DESCRIPTION

Stand out with full-color dye-sublimated designs that wrap the entire band in vibrant, eye-catching style. The FloatMate is perfect for outdoor adventures—whether you're at the beach, out on the boat, or hitting the trails. Designed to comfortably slip around your wrist, it keeps keys secure, accessible, and afloat if dropped in water. A functional and stylish companion to brighten your clients' daily routines or outdoor events.

REFERENCE PRICING (USD)

Price code 5C

Quantity	Unit price
100+	\$0.815
250+	\$0.788
500+	\$0.733
1,000+	\$0.642
3,000+	\$0.623

Supplier reference prices for comparison only. Confirm availability, decoration, freight and final pricing through an RFQ.

PRODUCT

Product size	5.4 x 0.86 x 0.08 in
Material	Neoprene
Available colors	Colorful
Minimum quantity	100

DECORATION

Production time	5 business days after proof approval
Artwork requirements	Use the downloadable template and submit production-ready vector artwork.

BOXING AND SHIPPING

Packaging	1 unit/poly bag
Units per carton	1000
Carton dimensions	15.75 x 15.75 x 11.81 in
Carton weight	8 kg / 17.64 lb

SAMPLE OPTIONS

Pre-production sample	Yes
Reference sample fee	0 USD
Sample lead time	5 business days
Blank sample	Yes

ADDITIONAL SPECIFICATIONS

Product weight	0.007 kg / 0.02 lb
----------------	--------------------

PRODUCT VARIANTS

Variant	Option 1	Option 2	Dimensions / weight
---------	----------	----------	---------------------

204515-01

Color: Colorful

5.4 x 0.86 x 0.08 in · 0.007
kg / 0.02 lb

DECORATION OPTIONS

Option	Method	Location	Imprint area	Colors	Setup	Run
HEAT-TRANSFER-FRONT-FRONT	Heat Transfer	Front	9.68 x 0.86 in		Quote required	Quote required
BLANK	Blank	No imprint			Quote required	Quote required

Generated from the current published catalog record: <https://joyflow-server.tail4fabda.ts.net/products/river-reference-204515-floatmate-neoprene-wrist-keychain/>

Specifications, colors, prices and production timing are subject to change. Confirm compliance for each SKU, configuration, decoration, use and destination before quoting.