

Tactical Belt Clip With Key Holder

SKU RIV-325540

JOYFLOW

Product information

2026-09-19



DESCRIPTION

This black tactical key ring holder is expertly designed for police and fire agencies, offering a reliable solution for carrying keys and handcuffs. Versatile and durable, it easily attaches to belts, pant pockets, waistbands, belt loops, or backpacks. Its one-handed operation makes it simple to add or remove key rings, ensuring convenience and security for your essential gear.

REFERENCE PRICING (USD)

Price code 5C

Quantity	Unit price
100+	\$2.50
250+	\$2.33
500+	\$2.25
1,000+	\$2.13
2,500+	\$1.92

Supplier reference prices for comparison only. Confirm availability, decoration, freight and final pricing through an RFQ.

PRODUCT

Product size	2.87 x 0.47 x 0.91 in
Material	Metal
Available colors	Black, Silver
Minimum quantity	100

DECORATION

Production time	3-5 business days after proof approval
Artwork requirements	Use the downloadable template and submit production-ready vector artwork.

BOXING AND SHIPPING

Packaging	1 unit/poly bag
Units per carton	500
Carton dimensions	40 x 35 x 32 cm
Carton weight	14 kg / 30.86 lb

SAMPLE OPTIONS

Pre-production sample	Yes
Reference sample fee	0 USD
Sample lead time	2 business days
Blank sample	Yes

ADDITIONAL SPECIFICATIONS

Product weight	0.027 kg / 0.06 lb
----------------	--------------------

PRODUCT VARIANTS

Variant	Option 1	Option 2	Dimensions / weight
---------	----------	----------	---------------------

325540-01	Color: Black	2.87 x 0.47 x 0.91 in · 0.027 kg / 0.06 lb
325540-02	Color: Silver	2.87 x 0.47 x 0.91 in · 0.027 kg / 0.06 lb

DECORATION OPTIONS

Option	Method	Location	Imprint area	Colors	Setup	Run
LASER-ENGRAVED-FRONT-FRONT	Laser Engraved	Front	0.79 x 0.32 in		Quote required	Quote required
BLANK	Blank	No imprint			Quote required	Quote required

Generated from the current published catalog record: <https://joyflow-server.tail4fabda.ts.net/products/river-reference-325540-tactical-belt-clip-with-key-holder/>

Specifications, colors, prices and production timing are subject to change. Confirm compliance for each SKU, configuration, decoration, use and destination before quoting.